



# **110 Air Freight Details and Invoice**

**X12/V4010/110 : 110 Air Freight Details and Invoice**

**Version: 1.0**

<b>Company:</b>	<b>JR Simplot</b>
<b>Publication:</b>	<b>7/1/2021</b>
<b>Notes:</b>	<b>EDI@Simplot.com</b>

# Table of Contents

<b>110 Air Freight Details and Invoice</b> .....	<b>1</b>
<b>ST Transaction Set Header</b> .....	<b>3</b>
<b>B3 Beginning Segment for Carrier's Invoice</b> .....	<b>4</b>
<b>ITD Terms of Sale/Deferred Terms of Sale</b> .....	<b>5</b>
<b>N1 Loop Name</b> .....	<b>6</b>
<b>N9 Reference Identification</b> .....	<b>7</b>
<b>LX Loop Assigned Number</b> .....	<b>8</b>
<b>N1 Loop Name</b> .....	<b>9</b>
<b>N1 Name</b> .....	<b>10</b>
<b>N3 Address Information</b> .....	<b>11</b>
<b>N4 Geographic Location</b> .....	<b>12</b>
<b>L5 Loop Description, Marks and Numbers</b> .....	<b>13</b>
<b>L5 Description, Marks and Numbers</b> .....	<b>14</b>
<b>L1 Loop Rate and Charges</b> .....	<b>15</b>
<b>L1 Rate and Charges</b> .....	<b>16</b>
<b>L3 Total Weight and Charges</b> .....	<b>17</b>
<b>SE Transaction Set Trailer</b> .....	<b>18</b>

# 110 Air Freight Details and Invoice

Functional Group=IA

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Air Freight Details and Invoice Transaction Set (110) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide a customer with an air invoice for transportation and other charges related to shipments, including Original Invoices, Past Due Billings, Balance Due Bills and Revisions.

## Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	B3	Beginning Segment for Carrier's Invoice	M	1			Must use
065	ITD	Terms of Sale/Deferred Terms of Sale	M	1			Used
<b>LOOP ID - N1</b>					<b>3</b>	<b>N1/075L</b>	
110	N9	Reference Identification	M	10			Used

## Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<b>LOOP ID - LX</b>					<b>9999</b>		
<b>LOOP ID - N1</b>					<b>2</b>	<b>N2/020L</b>	
020	N1	Name	M	1			Used
040	N3	Address Information	M	2			Used
050	N4	Geographic Location	M	1			Used
<b>LOOP ID - L5</b>					<b>4</b>		
150	L5	Description, Marks and Numbers	M	1			Must use
<b>LOOP ID - L1</b>					<b>30</b>		
175	L1	Rate and Charges	O	1			Used

## Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
015	L3	Total Weight and Charges	M	1			Must use
045	SE	Transaction Set Trailer	M	1			Must use

## Notes:

1/075L The N1 Loop is used only to convey entity information relevant to the debtor or for a party other than the shipper or consignee.

2/020L The N1 loop is used to convey entity information relevant to the shipper and consignee.

## Transaction Set 110 Example: Air w/ Brokerage:

```
ST*110*0001~
B3**4855113449*6005629388*TP*K*20210120*3665****UPSF~
B3A*SS*1~
ITD*05*3****20210219~
N1*BT*J R SIMPLOT*ZZ*701769481~
N3*6360 S FEDERAL WAY~
```

N4\*BOISE\*ID\*83716\*US~  
N9\*IT\*701769481~  
N9\*AA\*3782884432~  
N9\*AW\*6005629388~  
N9\*MB\*GTWG1530769~  
N9\*EN\*SCS40625388~  
N9\*ED\*19-JAN-2021~  
N9\*3Z\*60008431343~  
N9\*ZZ\*PEAK SEASON=N~  
LX\*1~  
N1\*SH\*SIMPLOT CANADA (II) LIMITED\*ZZ\*T10461700~  
N3\*HWY 1 & SIMPLOT RD PO BOX 1180~  
N4\*PORTAGE LA PRAIRIE\*MB\*R1N3A4\*CA~  
N9\*SCA\*GTW~  
N9\*6C\*Consumption~  
N1\*CN\*LINEAGE LOGISTICS SERVICES HCS\*ZZ\*T10941207~  
N3\*5200 11TH AVE S~  
N4\*GRAND FORKS\*ND\*58201\*US~  
N9\*BR\*0506~  
P1\*SD\*20210118\*011\*0900~  
R1\*XXXX\*\*BO9\*UPS\*BD9~  
L5\*1\*POTATO TATER BARREL\*MS\*Z~  
L0\*1\*\*\*20118\*G\*\*\*1386\*PCS\*\*K~  
L10\*20118\*G\*K~  
L10\*0\*A1\*L~  
L10\*20118\*N\*K~  
SL1\*CB\*\*AIR CUSTOMS BROK\*\*\*CB~  
L1\*1\*\*\*200\*\*\*\*586\*\*\*\*PROCESSING CHARGE~  
C3\*USD\*0001\*USD~  
L1\*2\*\*\*925\*\*\*\*240\*\*\*\*CUSTOMS BROKER FEE~  
C3\*USD\*0001\*USD~  
L1\*3\*\*\*2490\*\*\*\*ADV\*\*\*\*CUSTOMS CHARGE~  
C3\*USD\*0001\*USD~  
L1\*4\*\*\*50\*\*\*\*045\*\*\*\*ADVANCE FEE~  
C3\*USD\*0001\*USD~  
L3\*20118\*B\*\*\*3665\*\*\*\*\*1386\*K\*\*2040900\*PS~  
SE\*43\*0001~

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

**Description:** Code uniquely identifying a Transaction Set  
**All valid standard codes are used. (Total Codes: 298)**

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	--------------------------------	---	----	-----	----------

**Description:** Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

## Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

## User Note 1:

# B3 Beginning Segment for Carrier's Invoice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 3

**User Option (Usage):** Must use

**Purpose:** To transmit basic data relating to the carrier's invoice

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
B302	76	Invoice Number	M	AN	1/22	Must use
		<b>Description:</b> Identifying number assigned by issuer				
B306	373	Date	M	DT	8/8	Must use
		<b>Description:</b> Date expressed as CCYYMMDD				
B307	193	Net Amount Due	M	N2	1/12	Must use
		<b>Description:</b> Total charges to be paid by the receiver of this transaction set expressed in the standard monetary denomination for the currency specified				

## Syntax Rules:

1. P0910 - If either B309 or B310 is present, then the other is required.

## Semantics:

1. B306 is the billing date.
2. On collect freight bills the data in B309 will be the actual delivery date. For the shipments invoiced prior to delivery, the B309 will be the estimated date of delivery.
3. If B314 is used, B304 will indicate the party or parties responsible for payment of the transportation terms identified in B314.

# ITD Terms of Sale/Deferred Terms of Sale

Pos: 065	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Used

**Purpose:** To specify terms of sale

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ITD06	446	Terms Net Due Date	M	DT	8/8	Used

**Description:** Date when total invoice amount becomes due expressed in format CCYYMMDD

## Syntax Rules:

1. L03040513 - If ITD03 is present, then at least one of ITD04, ITD05 or ITD13 is required.
2. L08040513 - If ITD08 is present, then at least one of ITD04, ITD05 or ITD13 is required.
3. L091011 - If ITD09 is present, then at least one of ITD10 or ITD11 is required.

## Semantics:

1. ITD15 is the percentage applied to a base amount used to determine a late payment charge.

## Comments:

1. If the code in ITD01 is "04", then ITD07 or ITD09 is required and either ITD10 or ITD11 is required; if the code in ITD01 is "05", then ITD06 or ITD07 is required.

---

# Loop Name

Pos: 075	Repeat: 3
Mandatory	
Loop: N1	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
110	N9	Reference Identification	M	10		Used

# N9 Reference Identification

Pos: 110	Max: 10
Heading - Mandatory	
Loop: N1	Elements: 2

**User Option (Usage):** Used

**Purpose:** To transmit identifying information as specified by the Reference Identification Qualifier

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

**Description:** Code qualifying the Reference Identification

**Code List Summary** (Total Codes: 1503, Included: 1)

**Code Name**

IT Internal Customer Number

N902	127	Reference Identification	X	AN	1/30	Used
------	-----	--------------------------	---	----	------	------

**Description:** Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

## Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

## Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

# Loop Assigned Number

Pos: 010	Repeat: 9999
Mandatory	
Loop: LX	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To reference a line number in a transaction set

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
020		Loop N1	M		2	Used
150		Loop L5	M		4	Must use

# Loop Name

Pos: 020	Repeat: 2
Mandatory	
Loop: N1	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To identify a party by type of organization, name, and code

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
020	N1	Name	M	1		Used
040	N3	Address Information	M	2		Used
050	N4	Geographic Location	M	1		Used

# N1 Name

Pos: 020	Max: 1
Detail - Mandatory	
Loop: N1	Elements: 1

**User Option (Usage):** Used

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

**Description:** Code identifying an organizational entity, a physical location, property or an individual

**Code List Summary** (Total Codes: 1312, Included: 2)

**Code Name**

CN	Consignee
SH	Shipper

## Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

## Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

# N3 Address Information

Pos: 040	Max: 2
Detail - Mandatory	
Loop: N1	Elements: 1

**User Option (Usage):** Used

**Purpose:** To specify the location of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

**Description:** Address information

# N4 Geographic Location

Pos: 050	Max: 1
Detail - Mandatory	
Loop: N1	Elements: 4

**User Option (Usage):** Used

**Purpose:** To specify the geographic place of the named party

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	<b>City Name</b>	M	AN	2/30	Used
		<b>Description:</b> Free-form text for city name				
N402	156	<b>State or Province Code</b>	M	ID	2/2	Used
		<b>Description:</b> Code (Standard State/Province) as defined by appropriate government agency				
N403	116	<b>Postal Code</b>	M	ID	3/15	Used
		<b>Description:</b> Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	<b>Country Code</b>	M	ID	2/3	Used
		<b>Description:</b> Code identifying the country				

## Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

## Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

# Loop Description, Marks and Numbers

Pos: 150	Repeat: 4
Mandatory	
Loop: L5	Elements: N/A

**User Option (Usage):** Must use

**Purpose:** To specify the line item in terms of description, quantity, packaging, and marks and numbers

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
150	L5	Description, Marks and Numbers	M	1		Must use
175		Loop L1	O		30	Used

# L5 Description, Marks and Numbers

Pos: 150	Max: 1
Detail - Mandatory	
Loop: L5	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To specify the line item in terms of description, quantity, packaging, and marks and numbers

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L501	213	Lading Line Item Number	O	N0	1/3	Used
<b>Description:</b> Sequential line number for a lading item						
L502	79	Lading Description	O	AN	1/50	Used
<b>Description:</b> Description of an item as required for rating and billing purposes						

## Syntax Rules:

1. P0304 - If either L503 or L504 is present, then the other is required.
2. C0706 - If L507 is present, then L506 is required.
3. P0809 - If either L508 or L509 is present, then the other is required.

## Comments:

1. L502 may be used to send quantity information as part of the product description.

# Loop Rate and Charges

Pos: 175	Repeat: 30
Optional	
Loop: L1	Elements: N/A

**User Option (Usage):** Used

**Purpose:** To specify rate and charges detail relative to a line item including freight charges, advances, special charges, and entitlements

## Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
175	L1	Rate and Charges	O	1		Used

# L1 Rate and Charges

Pos: 175	Max: 1
Detail - Optional	
Loop: L1	Elements: 2

**User Option (Usage):** Used

**Purpose:** To specify rate and charges detail relative to a line item including freight charges, advances, special charges, and entitlements

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L104	58	Charge	M	N2	1/12	Must use

**Description:** For a line item: freight or special charge; for the total invoice: the total charges -- expressed in the standard monetary denomination for the currency specified

L112	276	Special Charge Description	M	AN	2/25	Must use
------	-----	----------------------------	---	----	------	----------

**Description:** Identification of special charge; this data element is used whenever an applicable code cannot be found in data element 150

## Syntax Rules:

1. P0203 - If either L102 or L103 is present, then the other is required.
2. R040506 - At least one of L104, L105 or L106 is required.
3. P1415 - If either L114 or L115 is present, then the other is required.
4. P1718 - If either L117 or L118 is present, then the other is required.

## Semantics:

1. L119 is the percent used to determine the charge in L104.
2. L120, if used, indicates the currency for all monetary amounts in this L1 segment.
3. L121 is the origin rated as charge amount.

# L3 Total Weight and Charges

Pos: 015	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 1

**User Option (Usage):** Must use

**Purpose:** To specify the total shipment in terms of weight, volume, rates, charges, advances, and prepaid amounts applicable to one or more line items

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L305	58	Charge	M	N2	1/12	Used

**Description:** For a line item: freight or special charge; for the total invoice: the total charges -- expressed in the standard monetary denomination for the currency specified

## Syntax Rules:

1. P0102 - If either L301 or L302 is present, then the other is required.
2. P0304 - If either L303 or L304 is present, then the other is required.
3. P0910 - If either L309 or L310 is present, then the other is required.
4. C1201 - If L312 is present, then L301 is required.
5. P1415 - If either L314 or L315 is present, then the other is required.

## Semantics:

1. L305 is the total charges.

# SE Transaction Set Trailer

Pos: 045	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

**User Option (Usage):** Must use

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	N0	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Comments:

1. SE is the last segment of each transaction set.