



ORDERS Purchase Order Message

EDIFACT/D01B/ORDERS

Version: 2.0

Company:	Simplot Australia
Publication:	09/07/2025
Notes:	edi.australia.support@si mplot.com

Table of Contents

ORDERS	Purchase order message	1
UNH	MESSAGE HEADER	3
BGM	BEGINNING OF MESSAGE	4
DTM	DATE/TIME/PERIOD	5
DTM	DATE/TIME/PERIOD	6
RFF	REFERENCE	7
NAD	NAME AND ADDRESS	8
CTA	CONTACT INFORMATION	10
COM	COMMUNICATION CONTACT	11
COM	COMMUNICATION CONTACT	12
NAD	NAME AND ADDRESS	13
LOC	PLACE/LOCATION IDENTIFICATION	15
NAD	NAME AND ADDRESS	16
NAD	NAME AND ADDRESS	17
LIN	LINE ITEM	19
PIA	ADDITIONAL PRODUCT ID	20
IMD	ITEM DESCRIPTION	21
MEA	MEASUREMENTS	22
QTY	QUANTITY	23
PRI	PRICE DETAILS	24
UNS	SECTION CONTROL	25
MOA	MONETARY AMOUNT	26
CNT	CONTROL TOTAL	27
UNT	MESSAGE TRAILER	28

ORDERS Purchase order message

Message Status=**12**

Definition: A message specifying details for goods or services ordered under conditions agreed between the seller and the buyer.

Heading:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
0010	UNH	MESSAGE HEADER	M	1	N1/0010	Must use
0020	BGM	BEGINNING OF MESSAGE	M	1	N1/0020	Must use
0030	DTM	DATE/TIME/PERIOD	M	35	N1/0030	Must use
0030	DTM	DATE/TIME/PERIOD	M	35	N1/0030	Must use
0090		Segment Group 1	C	9999	N1/0090	Used
0100	RFF	REFERENCE	M	1	N1/0100	Must use
0120		Segment Group 2	C	99	N1/0120	Used
0130	NAD	NAME AND ADDRESS	M	1	N1/0130	Must use
0220		Segment Group 5	C	5	N1/0220	Used
0230	CTA	CONTACT INFORMATION	M	1	N1/0230	Must use
0240	COM	COMMUNICATION CONTACT	C	5	N1/0240	Used
0240	COM	COMMUNICATION CONTACT	C	5	N1/0240	Used
0130	NAD	NAME AND ADDRESS	M	1	N1/0130	Must use
0140	LOC	PLACE/LOCATION IDENTIFICATION	C	99	N1/0140	Used
0130	NAD	NAME AND ADDRESS	M	1	N1/0130	Must use
0130	NAD	NAME AND ADDRESS	M	1	N1/0130	Must use

Detail:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
1030		Segment Group 28	C	200000	N2/1030	Used
1040	LIN	LINE ITEM	M	1	N2/1040	Must use
1050	PIA	ADDITIONAL PRODUCT ID	C	25	N2/1050	Used
1060	IMD	ITEM DESCRIPTION	C	99	N2/1060	Used
1070	MEA	MEASUREMENTS	C	99	N2/1070	Used
1080	QTY	QUANTITY	C	99	N2/1080	Used
1320		Segment Group 32	C	25	N2/1320	Used
1330	PRI	PRICE DETAILS	M	1	N2/1330	Must use

Summary:

<u>Pos</u>	<u>Tag</u>	<u>Segment Name</u>	<u>Status</u>	<u>Rep</u>	<u>Notes</u>	<u>Usage</u>
2330	UNS	SECTION CONTROL	M	1	N3/2330	Must use
2340	MOA	MONETARY AMOUNT	C	99	N3/2340	Used
2350	CNT	CONTROL TOTAL	C	10	N3/2350	Used
2400	UNT	MESSAGE TRAILER	M	1	N3/2400	Must use

Simplot Note:

UNH+0001+ORDERS:D:01B:UN:EAN010'
 BGM+220+0123456789::000+9+AB'
 DTM+137:202410181023:203'
 DTM+2:202410231000:203'
 RFF+ABO:S'
 NAD+BY+162::92++Street Address+Street Name+Suburb+State+Postcode'
 CTA+PD+162:Jane Doe'

COM+0412345678:TE'
COM+janedoe@company.com.au:EM'
NAD+CO+03::92++Entity Name+Street Address+Suburb+State+Postcode'
NAD+ST+9000000000000::9++Street Address+Street Name+Suburb+State+Postcode'
LOC+7+Dock3::92'
NAD+UC+9300633059101::9++Street Address+Street Name+Suburb+State+Postcode'
LOC+7+Dock3::92'
NAD+RE+12345678::92'
NAD+SU+12345678::92++Entity Name+Street Address+Suburb+State+Postcode'
LIN+1++9999999999999:SRV'
PIA+1+123456:IN'
PIA+1+12345:SA'
IMD+F++:::Edgell Corn Kern N/s 420g'
MEA+PD+LAY+NAR:9'
MEA+PD+ULY+NAR:15'
QTY+21:135:CA'
QTY+59:15'
PRI+1E:24.99:::15:EA'
PRI+AAA:24.99:::15:EA'
LIN+2++99999999999990:SRV'
PIA+1+234567:IN'
PIA+1+UNKNOWN:SA'
IMD+F++:::L/G Vgtbl Pasta Sauce500g'
MEA+PD+LAY+NAR:6'
MEA+PD+ULY+NAR:34'
QTY+21:204:CA'
QTY+59:6'
PRI+1E:20.88:::6:EA'
PRI+AAA:20.88:::6:EA'
UNS+S'
MOA+86:144731.81'
MOA+128:144382.56'
MOA+369:349.25'
CNT+2:32'
UNT+342+0001'
UNZ+1+407385'

UNH MESSAGE HEADER

Pos: 0010	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
UNH010	0062	Message reference number	M	an	1/14	Must use				
Description: Unique message reference assigned by the sender.										
UNH020	S009	MESSAGE IDENTIFIER	M	Comp		Must use				
Description: Identification of the type, version, etc. of the message being interchanged.										
UNH020-01 0	0065	Message type	M	an	1/6	Must use				
Description: Code identifying a type of message and assigned by its controlling agency.										
Code List Summary (Total Codes: 211, Included: 1)										
<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>ORDERS</td> <td>Purchase order message</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	ORDERS	Purchase order message
<u>Code</u>	<u>Name</u>									
ORDERS	Purchase order message									
UNH020-02 0	0052	Message version number	M	an	1/3	Must use				
Description: Version number of a message type.										
Code List Summary (Total Codes: 8, Included: 1)										
<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>D</td> <td>Draft version/UN/EDIFACT Directory</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	D	Draft version/UN/EDIFACT Directory
<u>Code</u>	<u>Name</u>									
D	Draft version/UN/EDIFACT Directory									
UNH020-03 0	0054	Message release number	M	an	1/3	Must use				
Description: Release number within the current message version number.										
Code List Summary (Total Codes: 25, Included: 1)										
<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>01B</td> <td>Release 2001 - B</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	01B	Release 2001 - B
<u>Code</u>	<u>Name</u>									
01B	Release 2001 - B									
UNH020-04 0	0051	Controlling agency, coded	M	an	1/3	Must use				
Description: Code identifying a controlling agency.										
Code List Summary (Total Codes: 26, Included: 1)										
<table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>UN</td> <td>UN/CEFACT</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	UN	UN/CEFACT
<u>Code</u>	<u>Name</u>									
UN	UN/CEFACT									
UNH020-05 0	0057	Association assigned code	C	an	1/6	Used				
Description: Code, assigned by the association responsible for the design and maintenance of the message type concerned, which further identifies the message.										

BGM BEGINNING OF MESSAGE

Pos: 0020	Max: 1
Mandatory	
Group: N/A	Elements: 4

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BGM010	C002	DOCUMENT/MESSAGE NAME	C	Comp		Used
Description: Identification of a type of document/message by code or name. Code preferred.						
BGM010-01 0	1001	Document name code	C	an	1/3	Used
Description: Code specifying the document name.						
Code List Summary (Total Codes: 583, Included: 2)						
Code Name						
220 Order						
230 Purchase order change request						
BGM020	C106	DOCUMENT/MESSAGE IDENTIFICATION	C	Comp		Used
Description: Identification of a document/message by its number and eventually its version or revision.						
BGM020-01 0	1004	Document identifier	C	an	1/35	Used
Description: To identify a document.						
BGM020-03 0	1060	Revision identifier	C	an	1/6	Used
Description: To identify a revision.						
BGM030	1225	Message function code	C	an	1/3	Used
Description: Code indicating the function of the message.						
Code List Summary (Total Codes: 65, Included: 2)						
Code Name						
5 Replace						
9 Original						
BGM040	4343	Response type code	C	an	1/3	Used
Description: Code specifying the type of acknowledgment required or transmitted.						
Code List Summary (Total Codes: 23, Included: 2)						
Code Name						
AB Message acknowledgement						
NA No acknowledgement needed						

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 35
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use

Description: Date and/or time, or period relevant to the specified date/time/period type.

DTM010-01 0	2005	Date or time or period function code qualifier	M	an	1/3	Must use
----------------	------	--	---	----	-----	----------

Description: Code qualifying the function of a date, time or period.

Code List Summary (Total Codes: 739, Included: 1)

Code	Name
137	Document/message date/time

DTM010-02 0	2380	Date or time or period value	C	an	1/35	Used
----------------	------	------------------------------	---	----	------	------

Description: The value of a date, a date and time, a time or of a period in a specified representation.

DTM010-03 0	2379	Date or time or period format code	C	an	1/3	Used
----------------	------	------------------------------------	---	----	-----	------

Description: Code specifying the representation of a date, time or period.

Code List Summary (Total Codes: 76, Included: 1)

Code	Name
203	CCYYMMDDHHMM

DTM DATE/TIME/PERIOD

Pos: 0030	Max: 35
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM010	C507	DATE/TIME/PERIOD	M	Comp		Must use

Description: Date and/or time, or period relevant to the specified date/time/period type.

DTM010-01 0	2005	Date or time or period function code qualifier	M	an	1/3	Must use
----------------	------	--	---	----	-----	----------

Description: Code qualifying the function of a date, time or period.

Code List Summary (Total Codes: 739, Included: 1)

<u>Code</u>	<u>Name</u>
2	Delivery date/time, requested

DTM010-02 0	2380	Date or time or period value	C	an	1/35	Used
----------------	------	------------------------------	---	----	------	------

Description: The value of a date, a date and time, a time or of a period in a specified representation.

DTM010-03 0	2379	Date or time or period format code	C	an	1/3	Used
----------------	------	------------------------------------	---	----	-----	------

Description: Code specifying the representation of a date, time or period.

Code List Summary (Total Codes: 76, Included: 1)

<u>Code</u>	<u>Name</u>
203	CCYYMMDDHHMM

RFF REFERENCE

Pos: 0100	Max: 1
Mandatory	
Group: 1	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
RFF010	C506	REFERENCE	M	Comp		Must use
Description: Identification of a reference.						
RFF010-010	1153	Reference code qualifier	M	an	1/3	Must use
Description: Code qualifying a reference.						
Code List Summary (Total Codes: 760, Included: 1)						
Code Name						
ABO Originator's reference						
RFF010-020	1154	Reference identifier	C	an	1/70	Used
Description: Identifies a reference.						

NAD NAME AND ADDRESS

Pos: 0130	Max: 1
Mandatory	
Group: 2	Elements: 7

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party function code qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a party.						
Code List Summary (Total Codes: 528, Included: 1)						
Code Name						
BY Buyer						
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
Description: Identification of a transaction party by code.						
NAD020-010	3039	Party identifier	M	an	1/35	Must use
Description: Code specifying the identity of a party.						
NAD020-030	3055	Code list responsible agency code	C	an	1/3	Used
Description: Code specifying the agency responsible for a code list.						
Code List Summary (Total Codes: 289, Included: 1)						
Code Name						
92 Assigned by buyer or buyer's agent						
NAD040	C080	PARTY NAME	C	Comp		Used
Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.						
NAD040-010	3036	Party name	M	an	1/35	Must use
Description: Name of a party.						
NAD040-060	3045	Party name format code	C	an	1/3	Used
Description: Code specifying the representation of a party name.						
All valid standard codes are used. (Total Codes: 3)						
NAD050	C059	STREET	C	Comp		Used
Description: Street address and/or PO Box number in a structured address: one to four lines.						
NAD050-010	3042	Street and number or post office box identifier	M	an	1/35	Must use
Description: To identify a street and number and/or Post Office box number.						
NAD060	3164	City name	C	an	1/35	Used
Description: Name of a city.						
NAD070	C819	COUNTRY SUB-ENTITY DETAILS	C	Comp		Used
Description: To specify a part of a country (eg county or part of a city).						

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD070-01 0	3229	Country sub-entity name code	C	an	1/9	Used
		Description: Code specifying the name of a country sub-entity.				
NAD080	3251	Postal identification code	C	an	1/17	Used
		Description: Code specifying the postal zone or address.				

CTA CONTACT INFORMATION

Pos: 0230	Max: 1
Mandatory	
Group: 5	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTA010	3139	Contact function code	C	an	1/3	Used

Description: Code specifying the function of a contact (e.g. department or person).

Code List Summary (Total Codes: 96, Included: 1)

Code Name

PD Purchasing contact

CTA020	C056	DEPARTMENT OR EMPLOYEE DETAILS	C	Comp		Used
--------	------	--------------------------------	---	------	--	------

Description: Code and/or name of a department or employee. Code preferred.

CTA020-010	3413	Department or employee name code	C	an	1/17	Used
------------	------	----------------------------------	---	----	------	------

Description: Code specifying the name of a department or employee.

CTA020-020	3412	Department or employee name	C	an	1/35	Used
------------	------	-----------------------------	---	----	------	------

Description: Name of a department or employee.

COM COMMUNICATION CONTACT

Pos: 0240	Max: 5
Conditional	
Group: 5	Elements: 1

User Option (Usage): Used

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
COM010	C076	COMMUNICATION CONTACT	M	Comp		Must use

Description: Communication number of a department or employee in a specified channel.

COM010-01 0	3148	Communication address identifier	M	an	1/512	Must use
----------------	------	----------------------------------	---	----	-------	----------

Description: To identify a communication address.

COM010-02 0	3155	Communication address code qualifier	M	an	1/3	Must use
----------------	------	--------------------------------------	---	----	-----	----------

Description: Code qualifying the communication address.

Code List Summary (Total Codes: 38, Included: 1)

Code	Name
TE	Telephone

COM COMMUNICATION CONTACT

Pos: 0240	Max: 5
Conditional	
Group: 5	Elements: 1

User Option (Usage): Used

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
COM010	C076	COMMUNICATION CONTACT	M	Comp		Must use

Description: Communication number of a department or employee in a specified channel.

COM010-01 0	3148	Communication address identifier	M	an	1/512	Must use
----------------	------	----------------------------------	---	----	-------	----------

Description: To identify a communication address.

COM010-02 0	3155	Communication address code qualifier	M	an	1/3	Must use
----------------	------	--------------------------------------	---	----	-----	----------

Description: Code qualifying the communication address.

Code List Summary (Total Codes: 38, Included: 1)

Code	Name
EM	Electronic mail

NAD NAME AND ADDRESS

Pos: 0130	Max: 1
Mandatory	
Group: 2	Elements: 7

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party function code qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a party.						
Code List Summary (Total Codes: 528, Included: 3)						
Code Name						
CO Corporate office						
ST Ship to						
UC Ultimate consignee						
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
Description: Identification of a transaction party by code.						
NAD020-01 0	3039	Party identifier	M	an	1/35	Must use
Description: Code specifying the identity of a party.						
NAD020-03 0	3055	Code list responsible agency code	C	an	1/3	Used
Description: Code specifying the agency responsible for a code list.						
Code List Summary (Total Codes: 289, Included: 2)						
Code Name						
9 EAN (International Article Numbering association)						
92 Assigned by buyer or buyer's agent						
NAD040	C080	PARTY NAME	C	Comp		Used
Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.						
NAD040-01 0	3036	Party name	M	an	1/35	Must use
Description: Name of a party.						
NAD050	C059	STREET	C	Comp		Used
Description: Street address and/or PO Box number in a structured address: one to four lines.						
NAD050-01 0	3042	Street and number or post office box identifier	M	an	1/35	Must use
Description: To identify a street and number and/or Post Office box number.						
NAD060	3164	City name	C	an	1/35	Used
Description: Name of a city.						
NAD070	C819	COUNTRY SUB-ENTITY DETAILS	C	Comp		Used
Description: To specify a part of a country (eg county or part of a city).						
NAD070-01	3229	Country sub-entity name code	C	an	1/9	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
0						
		Description: Code specifying the name of a country sub-entity.				
NAD080	3251	Postal identification code	C	an	1/17	Used
		Description: Code specifying the postal zone or address.				

LOC PLACE/LOCATION IDENTIFICATION

Pos: 0140	Max: 99
Conditional	
Group: 2	Elements: 2

User Option (Usage): Used

Element Summary:

Ref	Tag	Element Name	Status	Type	Min/Max	Usage
LOC010	3227	Location function code qualifier	M	an	1/3	Must use
<p>Description: Code identifying the function of a location.</p> <p>Code List Summary (Total Codes: 231, Included: 1)</p> <p><u>Code</u> <u>Name</u></p> <p>7 Place of delivery</p>						
LOC020	C517	LOCATION IDENTIFICATION	C	Comp		Used
<p>Description: Identification of a location by code or name.</p>						
LOC020-010	3225	Location name code	C	an	1/25	Used
<p>Description: Code specifying the name of the location.</p>						
LOC020-030	3055	Code list responsible agency code	C	an	1/3	Used
<p>Description: Code specifying the agency responsible for a code list.</p> <p>Code List Summary (Total Codes: 289, Included: 1)</p> <p><u>Code</u> <u>Name</u></p> <p>92 Assigned by buyer or buyer's agent</p>						

NAD NAME AND ADDRESS

Pos: 0130	Max: 1
Mandatory	
Group: 2	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party function code qualifier	M	an	1/3	Must use
<p>Description: Code giving specific meaning to a party.</p> <p>Code List Summary (Total Codes: 528, Included: 1)</p> <p>Code Name</p> <p>RE Party to receive commercial invoice remittance</p>						
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
<p>Description: Identification of a transaction party by code.</p>						
NAD020-010	3039	Party identifier	M	an	1/35	Must use
<p>Description: Code specifying the identity of a party.</p>						
NAD020-030	3055	Code list responsible agency code	C	an	1/3	Used
<p>Description: Code specifying the agency responsible for a code list.</p> <p>Code List Summary (Total Codes: 289, Included: 1)</p> <p>Code Name</p> <p>92 Assigned by buyer or buyer's agent</p>						

NAD NAME AND ADDRESS

Pos: 0130	Max: 1
Mandatory	
Group: 2	Elements: 7

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
NAD010	3035	Party function code qualifier	M	an	1/3	Must use
Description: Code giving specific meaning to a party.						
Code List Summary (Total Codes: 528, Included: 1)						
Code Name						
SU Supplier						
NAD020	C082	PARTY IDENTIFICATION DETAILS	C	Comp		Used
Description: Identification of a transaction party by code.						
NAD020-01 0	3039	Party identifier	M	an	1/35	Must use
Description: Code specifying the identity of a party.						
NAD020-03 0	3055	Code list responsible agency code	C	an	1/3	Used
Description: Code specifying the agency responsible for a code list.						
Code List Summary (Total Codes: 289, Included: 1)						
Code Name						
92 Assigned by buyer or buyer's agent						
NAD040	C080	PARTY NAME	C	Comp		Used
Description: Identification of a transaction party by name, one to five lines. Party name may be formatted.						
NAD040-01 0	3036	Party name	M	an	1/35	Must use
Description: Name of a party.						
NAD050	C059	STREET	C	Comp		Used
Description: Street address and/or PO Box number in a structured address: one to four lines.						
NAD050-01 0	3042	Street and number or post office box identifier	M	an	1/35	Must use
Description: To identify a street and number and/or Post Office box number.						
NAD060	3164	City name	C	an	1/35	Used
Description: Name of a city.						
NAD070	C819	COUNTRY SUB-ENTITY DETAILS	C	Comp		Used
Description: To specify a part of a country (eg county or part of a city).						
NAD070-01 0	3229	Country sub-entity name code	C	an	1/9	Used
Description: Code specifying the name of a country sub-entity.						
NAD080	3251	Postal identification code	C	an	1/17	Used

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
------------	------------	---------------------	---------------	-------------	----------------	--------------

Description: Code specifying the postal zone or address.

LIN LINE ITEM

Pos: 1040	Max: 1
Mandatory	
Group: 28	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN010	1082	Line item identifier	C	an	1/6	Used
		Description: To identify a line item.				
LIN030	C212	ITEM NUMBER IDENTIFICATION	C	Comp		Used
		Description: Goods identification for a specified source.				
LIN030-010	7140	Item identifier	C	an	1/35	Used
		Description: To identify an item.				
LIN030-020	7143	Item type identification code	C	an	1/3	Used
		Description: Coded identification of an item type.				
		Code List Summary (Total Codes: 104, Included: 1)				
		Code Name				
		SRV EAN.UCC Global Trade Item Number				

PIA ADDITIONAL PRODUCT ID

Pos: 1050	Max: 25
Conditional	
Group: 28	Elements: 2

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PIA010	4347	Product identifier code qualifier	M	an	1/3	Must use
Description: Code qualifying the product identifier.						
Code List Summary (Total Codes: 12, Included: 1)						
Code Name						
		1				Additional identification
PIA020	C212	ITEM NUMBER IDENTIFICATION	M	Comp		Must use
Description: Goods identification for a specified source.						
PIA020-010	7140	Item identifier	C	an	1/35	Used
Description: To identify an item.						
PIA020-020	7143	Item type identification code	C	an	1/3	Used
Description: Coded identification of an item type.						
Code List Summary (Total Codes: 104, Included: 2)						
Code Name						
		IN				Buyer's item number
		SA				Supplier's article number

IMD ITEM DESCRIPTION

Pos: 1060	Max: 99
Conditional	
Group: 28	Elements: 2

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IMD010	7077	Description format code	C	an	1/3	Used
Description: Code specifying the format of a description.						
Code List Summary (Total Codes: 8, Included: 1)						
Code Name						
	F	Free-form				
IMD030	C273	ITEM DESCRIPTION	C	Comp		Used
Description: Description of an item.						
IMD030-040	7008	Item description	C	an	1/256	Used
Description: Free form description of an item.						

MEA MEASUREMENTS

Pos: 1070	Max: 99
Conditional	
Group: 28	Elements: 3

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MEA010	6311	Measurement purpose code qualifier	M	an	1/3	Must use

Description: Code qualifying the purpose of the measurement.

Code List Summary (Total Codes: 101, Included: 1)

Code Name

PD Physical dimensions (product ordered)

MEA020	C502	MEASUREMENT DETAILS	C	Comp		Used
--------	------	---------------------	---	------	--	------

Description: Identification of measurement type.

MEA020-010	6313	Measured attribute code	C	an	1/3	Used
------------	------	-------------------------	---	----	-----	------

Description: Code specifying the attribute measured.

MEA030	C174	VALUE/RANGE	C	Comp		Used
--------	------	-------------	---	------	--	------

Description: Measurement value and relevant minimum and maximum values of the measurement range.

MEA030-010	6411	Measurement unit code	M	an	1/3	Must use
------------	------	-----------------------	---	----	-----	----------

Description: Code specifying the unit of measurement.

Simplot Note: NAR

MEA030-020	6314	Measurement value	C	an	1/18	Used
------------	------	-------------------	---	----	------	------

Description: To specify the value of a measurement.

QTY QUANTITY

Pos: 1080	Max: 99
Conditional	
Group: 28	Elements: 1

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
QTY010	C186	QUANTITY DETAILS	M	Comp		Must use
Description: Quantity information in a transaction, qualified when relevant.						
QTY010-010	6063	Quantity type code qualifier	M	an	1/3	Must use
Description: Code qualifying the type of quantity.						
Code List Summary (Total Codes: 450, Included: 2)						
Code Name						
21 Ordered quantity						
59 Numbers of consumer units in the traded unit						
QTY010-020	6060	Quantity	M	an	1/35	Must use
Description: Alphanumeric representation of a quantity.						
QTY010-030	6411	Measurement unit code	C	an	1/3	Used
Description: Code specifying the unit of measurement.						
Simplot Note: CA						

PRI PRICE DETAILS

Pos: 1330	Max: 1
Mandatory	
Group: 32	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRI010	C509	PRICE INFORMATION	C	Comp		Used
Description: Identification of price type, price and related details.						
PRI010-010	5125	Price code qualifier	M	an	1/3	Must use
Description: Code qualifying a price.						
Code List Summary (Total Codes: 10, Included: 1)						
Code Name						
AAA Calculation net						
PRI010-020	5118	Price amount	C	n	1/15	Used
Description: To specify a price.						
PRI010-050	5284	Unit price basis value	C	n	1/9	Used
Description: To specify the basis for a unit price.						
PRI010-060	6411	Measurement unit code	C	an	1/3	Used
Description: Code specifying the unit of measurement.						

UNS SECTION CONTROL

Pos: 2330	Max: 1
Mandatory	
Group: N/A	Elements: 1

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNS010	0081	Section identification	M	a	1/1	Must use

Description: Identification of the separation of sections of a message.

Code List Summary (Total Codes: 2, Included: 1)

<u>Code</u>	<u>Name</u>
S	Detail/summary section separation

MOA MONETARY AMOUNT

Pos: 2340	Max: 99
Conditional	
Group: N/A	Elements: 1

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MOA010	C516	MONETARY AMOUNT	M	Comp		Must use
Description: Amount of goods or services stated as a monetary amount in a specified currency.						
MOA010-01 0	5025	Monetary amount type code qualifier	M	an	1/3	Must use
Description: Code qualifying the type of monetary amount.						
Code List Summary (Total Codes: 525, Included: 3)						
Code Name						
86 Message total monetary amount						
128 Total amount						
369 Goods and services tax						
MOA010-02 0	5004	Monetary amount	C	n	1/35	Used
Description: To specify a monetary amount.						

CNT CONTROL TOTAL

Pos: 2350	Max: 10
Conditional	
Group: N/A	Elements: 1

User Option (Usage): Used

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CNT010	C270	CONTROL	M	Comp		Must use
Description: Control total for checking integrity of a message or part of a message.						
CNT010-010	6069	Control total type code qualifier	M	an	1/3	Must use
Description: Code qualifying the type of control of hash total.						
Code List Summary (Total Codes: 57, Included: 1)						
<u>Code</u> <u>Name</u>						
		2				Number of line items in message
CNT010-020	6066	Control total value	M	n	1/18	Must use
Description: To specify the value of a control quantity.						

UNT MESSAGE TRAILER

Pos: 2400	Max: 1
Mandatory	
Group: N/A	Elements: 2

User Option (Usage): Must use

Element Summary:

<u>Ref</u>	<u>Tag</u>	<u>Element Name</u>	<u>Status</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
UNT010	0074	Number of segments in a message	M	n	1/10	Must use
		Description: The number of segments in a message body, plus the message header segment and message trailer segment.				
UNT020	0062	Message reference number	M	an	1/14	Must use
		Description: Unique message reference assigned by the sender.				