

SECRETS MANAGER > YOUR SECRETS

# Secrets




## **Secrets**

Secrets are sensitive key-value pairs that your organization needs securely stored and should never be exposed in plain code or transmitted over unencrypted channels, for example:

- API Keys
- Application Configurations
- · Database Connection Strings
- Environment Variables

Secrets that your user account has access through assigned projects are listed in the primary Secrets Manager view as well as by selecting **Secrets** from the navigation:




Secrets

#### Create a secret

To create a new secret:

1. Use the **New** dropdown to select **Secret**:





- 2. On the New Secret window's top-most section, enter a Name and Value. Adding Notes is optional.
- 3. Within **Project**, pick an existing project to associate with the secret or create a new project to that will include the secret. Each secret can only be associated with a single project at a time.
- 4. Optionally, use the People and Machine accounts tabs to grant people or machine accounts direct access to the secret.
- 5. When you're finished, select the **Save** button.

## Add secrets to a project

Secrets may only be assigned to one project at a time. By adding a secret to a project:

- Organization members with access to the project will be able to see or manipulate this secret.
- Machine accounts with access to the project will be able to create a pathway for injecting and editing this secret.

To add your secrets to a project:

- 1. Go to **Secrets** and select the secret to add.
- 2. In the Edit Secret window, in the **Project** section, type or select the project to associate the secret with. Each secret can only be associated with a single project at a time.
- 3. When you're finished, select the Save button.

### Assign secrets to people or machine accounts

From the same window, you can grant secret access directly to people and machine accounts:

- Granting secret access directly to users will allow them to interact with it from the Secrets view.
- Granting secret access directly to machine accounts will grant programmatic access to the secret using the machine account's access token(s).




#### Delete a secret

When you delete a secret, it moves to **Trash** for 30 days. After that time, it will be permanently deleted.



To delete a secret:

- 1. Go to Secrets.
- 2. On the same line as the secret, select the : icon.
- 3. Select Delete secret:




Delete secret

To undo a deletion or permanently delete a secret before 30 days:

- 1. Go to Trash.
- 2. On the same line as the secret, select the : icon.
- 3. Select Restore secret or Permanently delete:





Permanently delete secret

4. Select **Delete secret** to confirm.