



Curtain Wall Series SD-40 FACADE



Experience
The New Era Of Windows

www.qwindhyd.com

CURTAIN WALL SERIES
SD-40 FACADE



LET LIGHT IN
BEAUTIFULLY



SYSTEM TECHNICAL SPECIFICATION


- **Profile Alloy**
6063
- **Glazing Option**
Single/Laminate/
DGU/DGU Laminate
- **Max Height/shutter***
1800mm
- **Max Width/shutter**
700mm
- **Min. Visible Width (Interior View)**
40mm
- **Min. Visible Width (Exterior View)**
40mm
- **Min. Depth Mullion**
110mm
- **Opening Possibilities**
Turn & Tilt/ Side Hung/Top Hung
- **Vent Min. Visible Width (Interior View)**
145mm
- **Vent Min. Visible Width (Exterior View)**
145mm
- **Sound Reduction**
Up to 38db
- **Glass Thickness**
5mm to 44mm
- **Multi Locking/ Single Locking**
Yes

- **Hinge**
Butt/ Friction
- **Finish**
Anodize/Powder coating/
Wood effect/PVDF coating
- Reinforcement**
- Optional Steel Reinforcement
in Case of high wind Load

APPLICATION & SECTION DETAIL


- **Frame Height***
44mm
- **Frame Width***
114mm (With Mos. Net Step)
- **Shutter**
40/52mm
- **Sightline at Mullion/Shutter**
133mm





Qwind Systems Hyderabad LLP

12-36 / B / 1 - First Floor, SURFACE,
Samshabad, Satamrai, Hyderabad,
Telangana - 501218, INDIA.



www.qwindhyd.com