




Project
(Hybrid Minimal)
Series
SL-15



Experience
The New Era Of Windows

www.qwindhyd.com

**PROJECT
(HYBRID MINIMAL)
SERIES
SL-15**



**TRENDY WINDOWS FOR
TRENDY BUILDINGS**


SYSTEM TECHNICAL SPECIFICATION

- **Profile Alloy**
6063
- **Glass Thickness**
20mm to 24mm
- **Glazing Option**
DGU
- **Sound Reduction**
Up to 18db
- **Max Height/shutter***
2400mm
- **Max Weight/shutter**
150 Kgs
- **Multi Locking/ Single Locking**
Yes
- **Mosquito Mesh Solution**
Yes
- **Hidden Bottom**
Yes
- **Corner Opening**
Yes
- **Roller Bearings**
(320 Kg / Per Bearing)
S.S 304 Grade
- **Stainless Steel Twill Rail**
S.S 304 Grade/ Nylon
- **Finish**
Anodize/ Powder coating
Wood effect/ PVDF coating

APPLICATION & SECTION DETAIL


- **Frame Height***
50mm
- **Frame Width (2t-2p)***
93mm
- **Frame Width (3t-3p)***
140mm
- **Sightline At Interlock***
15mm
- **Center Meeting (2t-4p)***
113/40 mm

Top Section




Bottom Section

Interlock with Handle




RS Section



Qwind Systems Hyderabad LLP

12-36 / B / 1 - First Floor, SURFACE,
Samshabad, Satamrai, Hyderabad,
Telangana - 501218, INDIA.



www.qwindhyd.com