




Traditional Sliding Series SL-25



Experience
The New Era Of Windows

www.qwindhyd.com

TRADITIONAL SLIDING SERIES **SL-25**



RANGE OF BEST
COMMERCIAL WINDOWS



SYSTEM TECHNICAL SPECIFICATION

- **Profile Alloy**
6063
- **Glass Thickness**
5mm to 8mm
- **Glazing Option**
Single
- **Sound Reduction**
Up to 15db
- **Max Height/shutter***
1800mm
- **Max Weight/shutter**
70 Kgs
- **Multi Locking/ Single Locking**
Yes
- **Mosquito Mesh Solution**
Yes
- **Corner Opening**
Yes
- **Security Option**
Safety Grill
(With 16mm MS Round Bar)
- **Roller Bearings**
S.S 304 Grade/ Nylon
- **Stainless Steel Rail**
S.S 304 Grade/ Aluminium
- **Finish**
Anodize/ Powder coating
Wood effect/ PVDF coating

APPLICATION & SECTION DETAIL


- **Frame Height***
40mm
- **Frame Width (2t-2p)***
76mm
- **Frame Width (3t-2p)***
76mm
- **Sightline At Interlock***
66mm
- **Center Meeting (2t-4p)***
135/25 mm

Top Section





Bottom Section

Interlock with Handle




RS Section





Qwind Systems Hyderabad LLP

12-36 / B / 1 - First Floor, SURFACE,
Samshabad, Satamrai, Hyderabad,
Telangana - 501218, INDIA.



www.qwindhyd.com