




# Sliding Grilled Series

## SL-30 Grilled



**Experience**  
The New Era Of Windows

[www.qwindhyd.com](http://www.qwindhyd.com)

**SLIDING GRILLED SERIES**  
**SL-30 GRILLED**



A PROMISE  
**FOR QUALITY**



**SYSTEM TECHNICAL SPECIFICATION**

- **Profile Alloy**  
6063
- **Glass Thickness**  
5mm to 20mm (W/o. Glazing Clip)
- **Max Height/shutter\***  
2100mm
- **Max Weight/shutter**  
120 Kgs
- **Security Option**  
Safety Grill (With 16mm MS Round Bar)
- **Multi Locking / Single Locking**  
Yes
- **Mosquito Mesh Solution**  
Yes
- **Sound Reduction**  
Up to 18 db
- **Corner Opening**  
Yes
- **Roller Bearings**  
**(320 Kg / Per Bearing)**  
S.S 304 Grade / nylon
- **Stainless Steel Twill Rail**  
S.S 304 Grade, Aluminium
- **Finish**  
Anodize  
Powder coating  
Wood effect  
PVDF coating

**APPLICATION & SECTION DETAIL**


- **Frame Height\***  
27mm
- **Frame Width (2t-2p)\***  
123mm / 143mm
- **Sightline At Interlock\***  
71mm
- **Center Meeting (2t-4p)\***  
135/30 mm

**Top Section**





**Bottom Section**

**Interlock with Handle**




**RS Section**





**Qwind Systems Hyderabad LLP**

12-36 / B / 1 - First Floor, SURFACE,  
Samshabad, Satamrai, Hyderabad,  
Telangana - 501218, INDIA.



[www.qwindhyd.com](http://www.qwindhyd.com)