



Traditional Sliding Series

SL-35



Experience

The New Era Of Windows

www.qwindhyd.com

**TRADITIONAL
SLIDING SERIES**
SL-35



**A REASON
BEHIND WINDOWS**



SYSTEM TECHNICAL SPECIFICATION

- **Profile Alloy**
6063
- **Glass Thickness**
5mm to 20mm (W/o. Glazing Clip)
- **Max Height/shutter***
2400mm
- **Max Weight/shutter**
120 Kgs
- **Glazing Option**
Single / Laminate / DGU
- **Multi Locking / Single Locking**
Yes
- **Mosquito Mesh Solution**
Yes
- **Sound Reduction**
Up to 20 db
- **Corner Opening**
Yes
- **Roller Bearings**
(320 Kg / Per Bearing)
S.S 304 Grade / nylon
- **Stainless Steel Twill Rail**
S.S 304 Grade, Aluminium
- **Finish**
Anodize
Powder coating
Wood effect
PVDF coating

APPLICATION & SECTION DETAIL



- **Frame Height***
50mm
- **Frame Width (2t-2p)***
85mm
- **Frame Width (3t-3p)***
128mm
- **Sightline At Interlock***
70mm
- **Center Meeting (2t-4p)***
135 / 30 mm

Top Section



Bottom Section

Interlock with Handle




RS Section





Qwind Systems Hyderabad LLP

12-36 / B / 1 - First Floor, SURFACE,
Samshabad, Satamrai, Hyderabad,
Telangana - 501218, INDIA.



www.qwindhyd.com