




# Traditional Sliding Series

## SL-55




# Experience


The New Era Of Windows

[www.qwindhyd.com](http://www.qwindhyd.com)

**TRADITIONAL  
SLIDING SERIES  
SL-55**



**A REASON  
BEHIND WINDOWS**



**On The Floor**



**Conceal From Inside**



**SL-55**



**Horizontal  
Crosseccional View**



**SYSTEM TECHNICAL SPECIFICATION**

- **Profile Alloy**  
6063
- **Glass Thickness**  
30mm to 36mm
- **Max Height/shutter\***  
3660mm
- **Max Weight/shutter**  
300 Kgs
- **Glazing Option**  
DGU / DGU Laminate /  
DGU with integrated blinds
- **Multi Locking / Single Locking**  
Yes
- **Mosquito Mesh Solution**  
Yes
- **Sound Reduction**  
Up to 28 db
- **Roller Bearings**  
**(320 Kg / Per Bearing)**  
S.S 304 Grade / nylon
- **Stainless Steel Twill Rail**  
S.S 304 Grade
- **Finish**  
Anodize  
Powder coating  
Wood effect  
PVDF coating

**APPLICATION & SECTION DETAIL**


- **Frame Height\***  
50mm
- **Frame Width (2t-2p)\***  
114mm
- **Frame Width (3t-3p)\***  
178mm
- **Sightline At Interlock\***  
95mm
- **Center Meeting (2t-4p)\***  
195 / 55 mm

**Top Section**





**Bottom Section**

**Interlock with Handle**




**RS Section**





**Qwind Systems Hyderabad LLP**

12-36 / B / 1 - First Floor, SURFACE,  
Samshabad, Satamrai, Hyderabad,  
Telangana - 501218, INDIA.



[www.qwindhyd.com](http://www.qwindhyd.com)