



810 Invoice

X12/V4010/810 : 810 Invoice

Version: 2.0

Company:	Simplot Australia
Publication:	12/18/2024
Notes:	edi.australia.support@si mplot.com

Table of Contents

810 Invoice	1
ST Transaction Set Header	3
BIG Beginning Segment for Invoice	4
CUR Currency	5
REF Reference Identification	6
N1 Loop Name	7
N1 Name	8
N4 Geographic Location	9
N1 Loop Name	10
N1 Name	11
N3 Address Information	12
N4 Geographic Location	13
N1 Loop Name	14
N1 Name	15
N3 Address Information	16
N4 Geographic Location	17
IT1 Loop Baseline Item Data (Invoice)	18
IT1 Baseline Item Data (Invoice)	19
CTP Pricing Information	20
PID Loop Product/Item Description	21
PID Product/Item Description	22
TDS Total Monetary Value Summary	23
SE Transaction Set Trailer	24

810 Invoice

Functional Group=**IN**

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Invoice Transaction Set (810) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide for customary and established business and industry practice relative to the billing for goods and services provided.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	BIG	Beginning Segment for Invoice	M	1			Must use
040	CUR	Currency	O	1			Used
050	REF	Reference Identification	O	12			Used
LOOP ID - N1					200		
070	N1	Name	O	1			Used
100	N4	Geographic Location	O	1			Used
LOOP ID - N1					200		
070	N1	Name	O	1			Used
090	N3	Address Information	O	2			Used
100	N4	Geographic Location	O	1			Used
LOOP ID - N1					200		
070	N1	Name	O	1			Used
090	N3	Address Information	O	2			Used
100	N4	Geographic Location	O	1			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
LOOP ID - IT1					200000		
010	IT1	Baseline Item Data (Invoice)	O	1			Used
050	CTP	Pricing Information	O	25			Used
LOOP ID - PID					1000		
060	PID	Product/Item Description	O	1			Used

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	TDS	Total Monetary Value Summary	M	1			Must use
080	SE	Transaction Set Trailer	M	1			Must use

Simplot Example:

```

ST*810*6666~
BIG*20230615*1234567**1234567***DI~
CUR*By*AUD~
REF*CO*5671234~
N1*BT*Party Name~
N4*Melbourne**1234*AU*SP*ABC~
N1*ST*Party Name~
N3*Address Information~
N4*Melbourne**1234*AU*SP*ABC~
  
```

N1*VN*Vendor Name*92*9999999999~
N3*Address Information~
N4*Melbourne**1234*AU*SP*ABC~
IT1*1000*1234*CT*12.34**UK*9999999999999999**BY*12345~
CTP*****12345.67~
PID*F****Item Description~
TDS*1234567~
SE*17*6666~

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use
Description: Code uniquely identifying a Transaction Set						
Code List Summary (Total Codes: 298, Included: 1)						
Code Name						
810 Invoice						
ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

BIG Beginning Segment for Invoice

Pos: 020 Max: 1
 Heading - Mandatory
 Loop: N/A Elements: 4

User Option (Usage): Must use

Purpose: To indicate the beginning of an invoice transaction set and transmit identifying numbers and dates

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BIG01	373	Date	M	DT	8/8	Must use
		Description: Date expressed as CCYYMMDD				
BIG02	76	Invoice Number	M	AN	1/22	Must use
		Description: Identifying number assigned by issuer				
BIG04	324	Purchase Order Number	O	AN	1/22	Used
		Description: Identifying number for Purchase Order assigned by the orderer/purchaser				
BIG07	640	Transaction Type Code	O	ID	2/2	Used
		Description: Code specifying the type of transaction				
		Code List Summary (Total Codes: 446, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		DI	Debit Invoice			

CUR Currency

Pos: 040	Max: 1
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify the currency (dollars, pounds, francs, etc.) used in a transaction

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CUR01	98	Entity Identifier Code	M	ID	2/3	Must use
Description: Code identifying an organizational entity, a physical location, property or an individual						
Code List Summary (Total Codes: 1312, Included: 1)						
Code Name						
BY Buying Party (Purchaser)						
CUR02	100	Currency Code	M	ID	3/3	Must use
Description: Code (Standard ISO) for country in whose currency the charges are specified						

REF Reference Identification

Pos: 050	Max: 12
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Used

Purpose: To specify identifying information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use
Description: Code qualifying the Reference Identification						
Code List Summary (Total Codes: 1503, Included: 1)						
Code Name						
CO Customer Order Number						
REF02	127	Reference Identification	X	AN	1/30	Used
Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier						

Loop Name

Pos: 070	Repeat: 200
Optional	
Loop: N1	Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	O	1		Used
100	N4	Geographic Location	O	1		Used

N1 Name

Pos: 070	Max: 1
Heading - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code List Summary (Total Codes: 1312, Included: 1)

<u>Code</u>	<u>Name</u>
BT	Bill-to-Party

N102	93	Name	X	AN	1/60	Used
------	----	-------------	---	----	------	------

Description: Free-form name

N4 Geographic Location

Pos: 100	Max: 1
Heading - Optional	
Loop: N1	Elements: 5

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N403	116	Postal Code	O	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	Country Code	O	ID	2/3	Used
		Description: Code identifying the country				
N405	309	Location Qualifier	X	ID	1/2	Used
		Description: Code identifying type of location				
		Code List Summary (Total Codes: 172, Included: 1)				
		<u>Code</u> <u>Name</u>				
		SP State/Province				
N406	310	Location Identifier	O	AN	1/30	Used
		Description: Code which identifies a specific location				

Loop Name

Pos: 070	Repeat: 200
Optional	
Loop: N1	Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	O	1		Used
090	N3	Address Information	O	2		Used
100	N4	Geographic Location	O	1		Used

N1 Name

Pos: 070	Max: 1
Heading - Optional	
Loop: N1	Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code List Summary (Total Codes: 1312, Included: 1)

Code Name

ST Ship To

N102	93	Name	X	AN	1/60	Used
------	----	------	---	----	------	------

Description: Free-form name

N3 Address Information

Pos: 090	Max: 2
Heading - Optional	
Loop: N1	Elements: 1

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

N4 Geographic Location

Pos: 100	Max: 1
Heading - Optional	
Loop: N1	Elements: 5

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N403	116	Postal Code	O	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	Country Code	O	ID	2/3	Used
		Description: Code identifying the country				
N405	309	Location Qualifier	X	ID	1/2	Used
		Description: Code identifying type of location				
		Code List Summary (Total Codes: 172, Included: 1)				
		<u>Code</u>		<u>Name</u>		
		SP		State/Province		
N406	310	Location Identifier	O	AN	1/30	Used
		Description: Code which identifies a specific location				

Loop Name

Pos: 070	Repeat: 200
Optional	
Loop: N1	Elements: N/A

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
070	N1	Name	O	1		Used
090	N3	Address Information	O	2		Used
100	N4	Geographic Location	O	1		Used

N1 Name

Pos: 070	Max: 1
Heading - Optional	
Loop: N1	Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use
Description: Code identifying an organizational entity, a physical location, property or an individual						
Code List Summary (Total Codes: 1312, Included: 1)						
<u>Code</u> <u>Name</u>						
VN Vendor						
N102	93	Name	X	AN	1/60	Used
Description: Free-form name						
N103	66	Identification Code Qualifier	X	ID	1/2	Used
Description: Code designating the system/method of code structure used for Identification Code (67)						
Code List Summary (Total Codes: 215, Included: 1)						
<u>Code</u> <u>Name</u>						
92 Assigned by Buyer or Buyer's Agent						
N104	67	Identification Code	X	AN	2/80	Used
Description: Code identifying a party or other code						

N3 Address Information

Pos: 090	Max: 2
Heading - Optional	
Loop: N1	Elements: 1

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

N4 Geographic Location

Pos: 100	Max: 1
Heading - Optional	
Loop: N1	Elements: 5

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N403	116	Postal Code	O	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				
N404	26	Country Code	O	ID	2/3	Used
		Description: Code identifying the country				
N405	309	Location Qualifier	X	ID	1/2	Used
		Description: Code identifying type of location				
		Code List Summary (Total Codes: 172, Included: 1)				
		<u>Code</u> <u>Name</u>				
		SP State/Province				
N406	310	Location Identifier	O	AN	1/30	Used
		Description: Code which identifies a specific location				

Loop Baseline Item Data (Invoice)

Pos: 010	Repeat: 200000
Optional	
Loop: IT1	Elements: N/A

User Option (Usage): Used

Purpose: To specify the basic and most frequently used line item data for the invoice and related transactions

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	IT1	Baseline Item Data (Invoice)	O	1		Used
050	CTP	Pricing Information	O	25		Used
060		Loop PID	O		1000	Used

IT1 Baseline Item Data (Invoice)

Pos: 010	Max: 1
Detail - Optional	
Loop: IT1	Elements: 8

User Option (Usage): Used

Purpose: To specify the basic and most frequently used line item data for the invoice and related transactions

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IT101	350	Assigned Identification	O	AN	1/20	Used
		Description: Alphanumeric characters assigned for differentiation within a transaction set				
IT102	358	Quantity Invoiced	X	R	1/10	Used
		Description: Number of units invoiced (supplier units)				
IT103	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
		Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken				
		Code List Summary (Total Codes: 794, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		CT	Carton			
IT104	212	Unit Price	X	R	1/17	Used
		Description: Price per unit of product, service, commodity, etc.				
IT106	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code List Summary (Total Codes: 477, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		UK	U.P.C./EAN Shipping Container Code (1-2-5-5-1)			
IT107	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				
IT110	235	Product/Service ID Qualifier	X	ID	2/2	Used
		Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)				
		Code List Summary (Total Codes: 477, Included: 1)				
		<u>Code</u>	<u>Name</u>			
		BY	Concept Code			
IT111	234	Product/Service ID	X	AN	1/48	Used
		Description: Identifying number for a product or service				

CTP Pricing Information

Pos: 050	Max: 25
Detail - Optional	
Loop: IT1	Elements: 1

User Option (Usage): Used

Purpose: To specify pricing information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTP08	782	Monetary Amount	O	R	1/18	Used

Description: Monetary amount

Loop Product/Item Description

Pos: 060	Repeat: 1000
Optional	
Loop: PID	Elements: N/A

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
060	PID	Product/Item Description	O	1		Used

PID Product/Item Description

Pos: 060	Max: 1
Detail - Optional	
Loop: PID	Elements: 2

User Option (Usage): Used

Purpose: To describe a product or process in coded or free-form format

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type	M	ID	1/1	Must use
		Description: Code indicating the format of a description				
		Code List Summary (Total Codes: 3, Included: 1)				
		<u>Code</u> <u>Name</u>				
		F Free-form				
PID05	352	Description	X	AN	1/80	Used
		Description: A free-form description to clarify the related data elements and their content				

TDS Total Monetary Value Summary

Pos: 010 Max: 1
 Summary - Mandatory
 Loop: N/A Elements: 1

User Option (Usage): Must use

Purpose: To specify the total invoice discounts and amounts

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
TDS01	610	Amount	M	N2	1/15	Must use

Description: Monetary amount

SE Transaction Set Trailer

Pos: 080	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	N0	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				